

The ultimate in both looks and performance

Jøtul GF 100 Gas Stoves

The Jøtul GF 100 is available as either conventional flue or balanced flue to be easily installed in any home with a mains or LPG gas supply, using the conversion kit supplied. The Jøtul GF 100 stoves offer an extensive range of installation options. The conventional flue models are supplied with top or rear flue options, and the balanced flue models have an inventive flue design, where almost every likely installation can be realised. Ideally suited to fit most fireplace openings, or flexible enough to be installed on a solid wooden floor or on a 12mm non-combustible hearth, the Jøtul GF 100 can be enjoyed in a variety of settings. Effortlessly installed in conservatories, extensions and family rooms without the need for a direct electricity supply, the Jøtul GF 100 is integrity in itself that is unrivalled from Jøtul. Norwegian quality cast iron and a classic design offering both warmth and style.

Choose between a ceramic log set or a traditional coal bed to create the dream look your room has always longed for.



Optional Jøtul Remote Control



Jøtul GF 100 BF Ivory enamel 'Log effect'

The Jøtul GF 100 BF produces an efficient and economic 3.7 kW's of variable heat output and has a control valve that can be adjusted by hand to provide a constant heat output, or with the addition of the optional remote control, can be set to offer an output thermostatically equivalent to the desired room temperature.



Matt black paint



Blue-black enamel



Ivory enamel

Colour swatches
for Jøtul GF 100

Coal or log burning realism at the push of a button

The Jøtul GF 3 Gas stoves are also designed to allow for the use of the optional Jøtul remote control (page 20). Choose between a ceramic log or coal set.

Jøtul GF 3 Gas Stoves

Jøtul's exclusive open door fire viewing feature, has been incorporated into the Jøtul GF 3 Gas stove. This allows you the choice of seeing the whole 'running flame' picture by opening the double doors, giving a more contemporary feel to the stove or, by choosing to close the doors, this transforms the stove back to its more classic 'timeless' look.

Colour swatches
for Jøtul GF 3



*Matt black
paint*



*Blue-black
enamel*



Ivory enamel



Jøtul GF 3 CF Black point "Coal effect"

With a Jøtul gas stove your qualified installer can easily connect your stove to natural gas or with our simple conversion kit supplied, convert the stove to LPG to extend your options further.

Offering similar varied installation options as the Jøtul GF 100, the Jøtul GF 3 is available as a conventional flued version with top or rear flueing configurations, as well as balanced flue to extend the installation options to rooms without a chimney.

The Jøtul GF 3 CF has natural convection to increase heat circulation to the furthest corners of your room and the stove soon reaches a heat output of over 4 kW's.

Within the all new Jøtul GF 3 range, the latest in gas fire knowledge has been incorporated to allow you to get pleasure from dancing flames and glowing coals or logs to create a magnificent focal point for any room. The thermostatically controlled remote control is also available as an option on the Jøtul GF 3.

